Tu' Kwa Hone Newsletter

Burns, Oregon **December 5, 2016**

Community News:

Dec. 13, 2016—Elder's Luncheon at the Gathering Center @ noon.

Christmas Bazaar at the Gathering Center

Saturday— Dec. 10, 2016 10:00 am to 3:00 pm

Fees: 1 table $10.00 (extra table $5.00 dditional)

Contact person: Betty Lou Hawley @ 541-589-1444

Burns Paiute Tribe

100 Pasigo St.

Burns, Or 97720

541.573.6674

TRIBAL COUNCIL CONTACT:

Chairman - Joe De La Rosa

541.589.0465

Burns Police Tribal Police:

Chief Carmen Smith
541.413.1615

Officer Frank Rivera
541.413.0982

Social Services Director / ICWA
Michelle Trecoch
541.573.8043 / 541.589.0171

Domestic Violence / Assault

Teresa Cowling

541.573.8053 / 541.413.0216

Police After Hours

Call Burns Dispatch

541.573.6028

11-23-2016

To the Burns Paiute Community/Tribal Council:

I am writing this letter to express how much I appreciate the support and quick response by the newest members of our Tribal Council, and also SPF program part of prevention. I recently asked council for financial help for entry fee for a men's basketball tournament held in Warmsprings. "Chasen Walker Memorial" I used to play against Chasen in bball from 5th grade thru high school. My senior year Chasen and others from warmspring asked me to play with them in an all Indian highschool tourney which we happened to win the Championship! There were 15 teams in this "CW Memorial" tourney so I was happy to be representing our Burns Paiute Tribe with our little team. We played our first game on Friday the 25th which we won, but lost the next two that put us out of the tourney, but I thought our team did a good job. So I am very thankful for the help of our new tribal leaders. It meant a lot to me and my fellow ball players.

Thanks again!!

Andrew Beers





Monday December 5th

4:00-4:30-kids are to read a book for required 20 Min.

4:30-5:15– Free Time play games ipad, computer or playground

5:15– we will be taking kids home and clean up.

Tuesday December 6th

4:00-4:30-kids are to read a book for required 20 Min.

4:30-5:15– Free Time play games ipad, computer or playground

5:15– we will be taking kids home and clean up.

Wednesday December 7th

4:00-4:30-kids are to read a book for required 20 Min.

4:30-5:15– Free Time play games ipad, computer or playground

5:15– we will be taking kids home and clean up.

Thursday December 8th

4:00-4:30-kids are to read a book for required 20 Min.

4:30-5:15– Free Time play games ipad, computer or playground

5:15– we will be taking kids home and clean up.

Friday December 9th

Tu-Wa-Kii Nobi will be closed-We will be on a field trip to the Jurassic Quest in Redmond. Leaving at 8:00– lunch will be provided returning by 6:00. you will be notified if your child is on the list. We have several days left as to complete the list.

Winter break begins Dec. 19th threw Dec. 30th kids are due back on the 2nd of January The office is closed on Dec. 23rd Dec. 26th and January 2nd. We are planning for the Christmas Break activities. Parents we encourage you to come and check on your kids while they are here. We are always happy to see parents and to share what your family is doing for the holidays.

We are asking that parents or guardian's update Intake forms.

We need working Tel. #'s

Our Program is in need of Tutors for our Older youth-Please contact Kerry.

Congratulations to the winner of the IPad- Soraya Johnson-Slater Elementary School. We had a lot of kids that qualified for the trimester reward. Good Job kids keep up the great work.

Notice we will be Closed Dec. 15th. We will be attending our Staff Christmas Party.

Tu-Wa-Kii-Nobi Staff

Main # 541-573-1573

After School Program-

Elise Adams—Youth Services Coordinator 541-573-1572-

Anita Hawley Youth Service Coordinator Asst. 541-589-2341

Rhonda Holtby-Parent/Educ. Coordinator 541-413-0448

Scott Smyth-TAPP Coordinator office # 541-573-8032

After School Tutor

Fred Pelroy-

brought to you by Native American Clubs and Parent Committee.

Christmas Party celebration

- **Santa** and elfs.
- Gifts for the kids.
- Entertainment.
- Mac & Cheese, Ham, Mashed Potatoes & Rolls.
- Hot Chocolate bar.
- "Homemade" cake decorating contest!
- Games!

Where: **Gathering Center**

When: **Christmas Eve / Dec. 24th**

Time: **4:00 pm.**



Christmas gifts for Christmas Party!

Gifts for children at the community Christmas party will be presented to children 18 and under must be enrolled members of the Burns Paiute Tribe, attends Tu-Wa-Kii-Nobi on a regular basis, resides on the Burns Paiute Reservation and/or a descendant of the Burns Paiute Tribe living in Harney County.

Please draw a name at the Administration building, drawing names will be available Monday December 5th, 2016.

Return the gift wrapped or unwrapped by Wednesday December 21st, 2016, return to the big wrapped box either at Administration building or Wadatika lobby with the name attached so we can keep track of the gifts & make sure everyone gets a gift!

We encourage everyone to draw a name and make our children's Christmas Eve one to remember! ☺

"Christmas is not so much about opening presents, but opening our hearts!"

Questions contact:

Anthony Purcella (541)-413-1352 or Ambrosia Snapp (541)-598-6622



ALCOHOL AND DRUG ADMINISTATOR

HOPE YOU HAD A GREAT THANKS GIVING

541-573-8003

It's time to get back into the swing of things. Call for your appointment, start thinking about your commitment to recovery for the New Year! The exercise class will be starting the first week of January. Anyone wanting to join will be welcome.

- Set a small goal for the month
- What do you need to do in 2 weeks to make it happen?
- What do you need to do this week to make it happen?
- What do you need to do today to make it happen?
- Need help, give me a call!

FOR MORE INFORMATION CONTACT: ISOBEL VAN TASSEL, B.S., CADC II @ 541-573-8003

LT265/70/R17 STUDDED SNOW TIRES FOR SALE

AT NATURAL RESOURCES

BID STARTS AT $150

PLEASE COME BY AND PUT IN YOUR BID

CLOSING DECEMBER 19

1st ANNUAL ART SHOW

Coming in March of 2017

Burns Paiute Tribal Gathering Center - Burns, OR

Tribal and Community Members bring your best artwork to showcase. Ribbons for Best of Show!

Paintings, Jewelry, Beading, Woodwork, Silversmith, Knitting, Photography, etc.

You have time to get some artwork completed! We will have sign ups in February. We also plan to choose several pieces of artwork from artist to set up at the Migratory Bird Festival.



If you have any questions, or would like to help please call Jody Richards at 541-573-8005, or email jody.richards@burnspaiute-nsn.gov

Burns Paiute Tribe Prevention Department



Burns Paiute Tribe Basketball Skills Challenge

December 21, 2016 - Ages 8-18

Athlete Information

Player Name: _____

Parent/Guardian Name: _____

Phone Number: _____

Age: _____

Important Notes

- **Dress appropriately**
- **No food or drink in the gym**
- **Keep the gym clean**
- **Drug and alcohol free event**
- **This is not a school based function**

Release of Liability

I expressly assume the risk of injury, death, and/or illness arising from any cause, and agree to waive the right to pursue any claim against the Burns Paiute Tribe and the persons in charge.

Parent Signature: _____

Sponsored by Burns Paiute Tribe Prevention Dept. and Burns Paiute Tribe Mental Health

Registration forms must be submitted to Jody Richards or Jeremy Thomas by 12:00 pm on 12/09/2016

For questions contact Jody Richards – 541-573-8005 or Jeremy Thomas – 541-573-8046

Burns Paiute Tribe Basketball Skills Challenge 2016 – Ages 8-18

Obstacle Course

- Each contestant will be timed as they run through an obstacle course which consists of the following:
  - Each contestant will start the course by making a layup.
  - After the layup is made the contestant will take the ball and dribble through several cones.
  - Contestants will be required to make a pass into a target.
  - Finally, the contestant will be required to make a free throw.
- The winner of the contest will be the individual with the lowest time. In case of a tie, the individuals with the lowest scores will compete against each other until one has a time lower than the others.

Point Shoot-Around

- Each contestant will have 45 seconds to shoot shots from spots located around the perimeter of the basket.
- Locations around the perimeter will be marked so that a lay-up is worth 1 point, a free throw is worth 2 points, a three point shot is worth 3 points and a half-court shot is worth 10 points.
- Contestants cannot shoot from one spot more than once without moving and shooting from another spot. In other words, a contestant cannot shoot every shot from the 1 point location.
- The winner of the contest will be the individual with the highest score. In case of a tie, the individuals with the highest scores will compete against each other until one has a score higher than the others.

Free Throw Contest

- Each contestant will shoot 20 free throws
- The winner of the contest will be the individual with the most made free throws. In case of a tie, the individuals with the most made will compete against each other until one has made more free throws.

Three Point Contest

- Each contestant will shoot 20 three point shots
- The winner of the contest will be the individual with the most made three point shots. In case of a tie, the individuals with the most made will compete against each other until one has made more three point shots.

Community Recreation Center

One of the most exciting projects being addressed by the Tribal Leadership in 2017 will certainly be the Community Rec Center. This project, which was formally initiated in 2015, was proposed by the Tribe in 1967, and then conceptualized in 2014 through the development of the Strollo Conceptual Master Plan. These planning activities provided the impetus for the Tribal Council to hire a Project Coordination team - Burns Consulting Services, Inc. to spear-head the project. Gary and Penny Burns have taken the lead on the Project and have been prepping the Kassler site for development.

By far the most rigorous and time consuming activity when undertaking a relatively large infrastructure development project on a piece of undeveloped land are the three phases of feasibility. These phases answer the necessary questions required before ground can be broken.

The first phase is the technical phase. A rigorous master planning effort is initiated to determine whether or not the site is suitable for the proposed activity. The thorough investigation is performed by technical experts and engineers. The purpose of the studies is to determine whether or not underground cable, water, and sewer lines can be installed. Also, potential roadway and drainage corridors are mapped out and the floodplain, wetlands and geotechnical data is studied.

The Phase 2, feasibility study, answers the question, "Is it permittable?". Are there any reasons that the project would not move forward due to the Tribes inability to demonstrate that the proposed parcel for development has a clear title, has no serious cultural resource impairments, will not pose a risk to natural resources, and has not previously been impacted by a hazardous waste spill.

In order to most effectively address Phase 2 activities the most important first step is getting the land into Trust. By securing BIA trust status, potential roadblocks from State and/or County natural resource departments can be greatly, if not entirely, eliminated.

In order to be approved for BIA-Trust status, both cultural and environmental resources need to be thoroughly investigated to determine whether or not precious cultural resources and/or natural resources are apt to be negatively impacted.

Phase 3, answers the question, "Are there financial resources available to fund the project?" "Are their federal, state resources?" "Foundations?" And if there are, what do the funders require in order to contribute to the Tribes effort? "Do they require the Tribe have a Comprehensive Community-based Strategic plan (most all do)?"

If after the three phases of feasibility there are no looming deterrents, the final six (6) phases can begin. These include, funding acquisition, permit acquisition, site design, site development, architectural design and construction.

As of the time of this writing, the Kassler site has been awarded Trust status from the Bureau of Indian Affairs. Further, the Roads, Cable and Drainage Master Plans have been drafted and are being reviewed

by Tribal staff. The Water and Sewer Master Plans are scheduled for completion early next year pending release of funds awarded by USDA. Moreover, the Tribe has completed its Comprehensive Community-based Strategic Plan and has taken that plan to 7 funding foundations who unanimously gave the Tribe a positive show of support for the project. Finally, USDA and HUD have shown considerable interest in providing financial assistance.

After the first of the year, Burns Consulting Services will be giving a presentation on the status of the Wellness Center (Recreation Center) project and the Tribe's recently adopted Community-based Strategic Plan. Everyone is encouraged to celebrate with us. We would like to thank the Paiute Community for the commitment and hard work they have demonstrated over the past 2 years.

Gary and Penny Burns

HOUSING AUTHORITY MEETING

TBA



December 5, 2016

Contact Info

Office No.
541.573.2327

Office Fax No.
541.573.2328

Jody Hill,
Executive Director
Cellular
541.589.2022

Brenda Sam,
Housing Assistant
Cellular
541.589.2647

HOUSING AUTHORITY MEMBERS

Chairperson,
JoEllen SkunkCap
Vice-Chair,
Elisha Caponetto
Secretary-Treasure,
Phyllis Miller
Members at Large

BURNS PAIUTE HOUSING AUTHORITY

Housing News

Native American Prayer for the Grieving

I give you this one thought to keep -
I am with you still - I do not sleep.
I am a thousand winds that blow,
I am the diamond glints on snow,
I am the sunlight on ripened grain,
I am the gentle autumn rain.
When you awaken in the morning's hush,
I am the swift, uplifting rush
of quiet birds in circled flight.
I am the soft stars that shine at night.
Do not think of me as gone -
I am with you still -
in each new dawn

Colder Temperatures

With the weather changing to colder temperatures here are a few tips to help prevent freezing pipes this winter.

INTERIOR OF HOME

- Open kitchen and bathroom cabinet doors to allow warmer air to circulate around the plumbing. Be sure to move any harmful cleaners and household chemicals up out of the reach of children.
- When the weather is very cold outside let water drip from the faucet. Running water through the pipe (even at a trickle) helps prevent pipes from freezing.
- Keep the thermostat set to the same temperature both during the day and at night.

EXTERIOR OF HOME

- Remove, drain, and store hoses used outdoors.

****SAFETY ISSUE****

The Housing Authority will be giving each household on the reservation (one) 1 bag of ice melt to start this winter season. We are trying to assist in preventing slips and falls from ice.

If you would like a bag of ice melt the head of household or someone over the age of eighteen (18) from the household must come to the housing office and sign the sign out sheet that the ice melt was received for that house.

If an elder is unable to make it to the Housing Office to pick up the ice melt, please call the office and we will deliver it to you. 541.573.2327

Preventing Slips and Falls in Winter

During icy and snowy conditions, the incidence of injuries due to slips and falls increase. Below are a number of suggestions which, if flowed, can reduce the number of slips and falls or reduce injury if a fall occurs. Please read them carefully. Also remember to dress in appropriate attire.

TO AVOID SLIPS:

◊ Concentrate on the path ahead—take your time and proceed slowly.

◊ Were possible, avoid slippery surfaces take a route around obvious slippery hazards, such as wet leaves, ice areas and snow banks.

◊ Wear appropriate footwear—wear shoes or boots with rough (waffled, ridged or heavily textured) soles to work and change into dress shoes if you must wear them. The inconvenience of changing shoes is insignificant compared to the inconvenience due to a serious fall related injury.

◊ Use handrails wherever they are provided—a secure handhold can prevent a fall if you should slip.

◊ Check to be sure entrance halls and stairs are clear of snow and slush-tracked in snow and slush often cause slips and falls.

◊ Beware of changes in walking surfaces—may falls are causes when someone doesn't' release he/she is leaving a secure area for a slippery one.

◊ Clean your shoes when you go inside—caked snow and ice on shoe soles can be treacherous.

◊ ALWAYS REMOVE SNOW FROM PORCH AND WALKWAYS!!

IF YOU SLIP

♦ Try to /roll with the fall/if you begin to fall forward.

♦ Sit down if you begin to fall backward—when a falling person relaxes, an injury is less severe than when he/she tenses. Fighting a fall on ice can cause twisting or bending injuries which may be worse than the bump the fall would have produced.

Creator, open our hearts
to peace and healing between all people.
Creator, open our hearts
to provide and protect for all children
of the earth.
Creator, open our hearts
to respect for the earth, and all the
gifts of the earth.
Creator, open our hearts
to end exclusion, violence,
and fear among all.
Thank-you for the gifts
of this day and every day.

Mi'Kmaq prayer



Domestic Violence

Patterns of Sexual Abuse

Abusers often use sexual assaults and/or harassment as a tool against their partner. It can be difficult for victims and survivors of sexual assault to discuss this form of abuse. Mid-Valley Women's Crisis Service encourages survivors and their supporters to become aware of the patterns of sexual abuse. The following is a list of sexually abusive behaviors:

- Abusers jokes about women and sex in the presence of the victim
- Looks at women as sex objects
- Pretends to be extremely jealous
- Minimizes the victim's feelings and needs regarding sex
- Criticizes victim in sexual terms
- Touches the victim against the victims wishes (molestation)
- Minimizes the victim's feelings and needs regarding sex

Criticizes victim in sexual terms

- Touches the victim against the victims wishes (molestation)
- Withhold sex and affection
- Attaches sexual labels to the victim: "slut", "whore", "frigid"
- Always demands sex
- Forces the victim to undress as form of humiliation (this may be in front of the children in the home)
- Abuser is promiscuous with others
- Forces the victim to witness his sexual acts with others
- Uses threats to back up his demands for sex
- Forces the victim to have sex with him or others
- Forces sex after beating the victim
- Abuser uses objects and/or weapons in sexual acts
- Sadism, mutilation
- Murder

Domestic Violence/Sexual Assault 541-413-0216

USDA
United States Department of Agriculture

10 tips
Nutrition Education Series

MyPlate snack tips for parents



10 tips for healthy snacking

Snacks can help children get the nutrients needed to grow and maintain a healthy weight. Prepare single-serving snacks for younger children to help them get just enough to satisfy their hunger. Let older kids make their own snacks by keeping healthy foods in the kitchen. Visit ChooseMyPlate.gov to help you and your kids select a satisfying snack.

1 save time by slicing veggies

Store sliced vegetables in the refrigerator and serve with dips like hummus or low-calorie dressing. Top half a whole-wheat English muffin with spaghetti sauce, chopped vegetables, and low-fat shredded mozzarella and melt in the microwave.

2 mix it up

For older school-age kids, mix dried fruit, unsalted nuts, and popcorn in a snack-size bag for a quick trail mix. Blend plain fat-free or low-fat yogurt with 100% fruit juice and frozen peaches for a tasty smoothie.

3 grab a glass of milk

A cup of low-fat or fat-free milk or milk alternative (soy milk) is an easy way to drink a healthy snack.

4 go for great whole grains



Offer whole-wheat breads, popcorn, and whole-oat cereals that are high in fiber and low in added sugars, saturated fat, and sodium. Limit refined-grain products such as snack bars, cakes, and sweetened cereals.

5 nibble on protein foods

Choose lean protein foods such as low-sodium deli meats or unsalted nuts. Wrap sliced, low-sodium deli turkey around an apple wedge. Store hard-cooked (boiled) eggs in the refrigerator for kids to enjoy any time.

6 keep an eye on the size

Snacks shouldn't replace a meal, so look for ways to help your kids understand how much is enough. Store snack-size bags in the cupboard and use them to control serving sizes.

7 fruits are quick and easy

Fresh, frozen, dried, or canned fruits can be easy "grab-and-go" options that need little preparation. Offer whole fruit and limit the amount of 100% juice served.

8 consider convenience



A single-serving container of low-fat or fat-free yogurt or individually wrapped string cheese can be just enough for an after-school snack.

9 swap out the sugar

Keep healthier foods handy so kids avoid cookies, pastries, or candies between meals. Add seltzer water to a ½ cup of 100% fruit juice instead of offering soda.

10 prepare homemade goodies

For homemade sweets, add dried fruits like apricots or raisins and reduce the amount of sugar in the recipe. Adjust recipes that include fats like butter or shortening by using unsweetened applesauce or prune puree for half the amount of fat.

A Diabetes-Friendly Guide to a HEALTHY THANKSGIVING PLATE

Thanksgiving is all about eating...and being with your loved ones, of course! With so many foods and snacks available, how can you make healthy choices that will keep your blood sugar stable? Use this "Thanksgiving Plate" as a visual guide for what foods to choose and how to balance your plate. You'll also find some healthy eating tips, a few diabetes-friendly recipes, and a Holiday Eating Contract on the following pages. Work with your diabetes educator to discuss healthy Thanksgiving meal planning and tips for managing your blood sugar during the holidays.

Fill ½ of your plate with vegetables, such as carrots and green beans.

Avoid casseroles or dishes that have heavy creams, sauces, butter or crusts.

Other vegetables to consider include: broccoli, salad, brussel sprouts, or asparagus.

If your table is low on vegetables, consider adding fruit to this half of your plate. Cranberries, baked apples, and pears are all good options.



Fill ¼ of your plate with starches such as stuffing and sweet potatoes.

Other choices for this section may include: mashed or baked potatoes, rice pilaf, or corn pudding.

Skip the bread or rolls!

Fill ¼ of your plate with lean turkey slices (approx. 3-4oz).

Avoid dark meat (including drumsticks!).

Remove the skin from the turkey before eating.

Instead of gravy, use a fruit-based relish for a special kick. See recipe on page 3.

**This visual guide for the Healthy Thanksgiving Plate is based on the Idaho Plate Method. See www.platemethod.com for more information.*

AADE American Association of Diabetes Educators

At A Glance 2016

Excessive Alcohol Use

Preventing a Leading Risk for Death, Disease, and Injury

Excessive alcohol use is responsible for 88,000 deaths in the United States each year. It also accounts for 1 of 10 deaths among working-age adults and shortens the lives of those who die by an average of 30 years. Excessive drinking includes binge drinking, heavy drinking, and any alcohol use by pregnant women or anyone younger than 21.

In 2010, excessive alcohol use cost the US economy $249 billion, or $2.05 a drink, and $2 of every $5 of these costs were paid by the public. Binge drinking is responsible for over half the deaths and three-quarters of the costs due to excessive alcohol use. Ninety percent of adults who are excessive drinkers binge drink, and 90% of the alcohol consumed by youth is consumed while binge drinking.

The Centers for Disease Control and Prevention (CDC) is at the forefront of the nation's efforts to prevent excessive alcohol use and related harms in states and communities.

Binge drinking is defined as consuming 4 or more drinks on an occasion for a woman or 5 or more drinks on an occasion for a man.

Heavy drinking is defined as consuming 8 or more drinks per week for a woman or 15 or more drinks per week for a man.

Fast Facts

- Excessive alcohol use accounts for 1 of 10 deaths among working-age adults in the United States.
- 90% of adults who are excessive drinkers binge drink, and 90% of the alcohol consumed by youth is consumed while binge drinking.
- 9 of 10 adults who binge drink are not alcohol dependent.
- Effective strategies for preventing excessive drinking are available but underused.
- CDC contributes to the prevention of excessive alcohol use by improving public health surveillance, building state and local capacity in alcohol epidemiology, and supporting evidence-based prevention strategies.

Public Health Problem

Binge Drinking: The Most Common Form of Excessive Alcohol Use

Binge drinking is the most common pattern of excessive alcohol use in the United States. More than 1 of 6 US adults, or 38 million people, are binge drinkers, and they binge an average of four times a month. In addition,

- Binge drinkers consume an average of 8 drinks when they binge, which far exceeds the threshold that defines this health risk behavior.
- Nine of 10 adults who binge drink are not alcohol dependent (alcoholics).

National Center for Chronic Disease Prevention and Health Promotion
Division of Population Health

American Indians and Alcohol

Fred Beauvais, Ph.D.

The high prevalence of alcohol use and its consequences among American Indians may be attributed to a number of factors, including the influence of the European colonists who first made large amounts of alcohol available to Indians, as well as current social and cultural factors. Efforts to prevent and treat alcohol problems among the American Indian population may be more effective if native beliefs and approaches are incorporated. Alcohol problems also may be prevented through policies regulating the sale and use of alcohol in Indian communities. *KEY WORDS: Native American; Native Alaskan; prevalence; AOD use pattern; AOD associated consequences; history of AOD use; culturally sensitive prevention approach; AOD sales; comorbidity; AODD (alcohol and other drug dependence); behavioral and health disorder; causes of AODU (alcohol and other drug use); attitude toward AOD; expectancy; acculturation; sociocultural assimilation; treatment; public policy on AOD; federal government; literature review*

Alcohol abuse and alcoholism have caused compounded problems for American Indian and Alaska Native peoples. In addition to the enormous physical and emotional tolls, the problems also have led to an unfortunate stereotype that has further burdened the Native communities of North America. This stereotype has perpetuated the image that all Indian people are afflicted with alcohol problems; even scientific inquiry, with its emphasis on problem definition, has not focused on the vast number of Indian people who maintain sober and productive lives (Beauvais in press). Furthermore, most studies of drinking among American Indians have focused on Indians living on reservations or on traditional Indian lands, even though this group accounts for only one-third of the American Indian population in the United States. With these caveats in mind, the following discussion outlines the historical and current status of alcohol use and abuse within the American Indian population, factors proposed to explain American Indian drinking and related problems, prevention and treatment approaches used in this community, and the role of alcohol policies in regulating American Indian drinking.

The nearly 2 million American Indians and Alaska Natives living in the United States fall into approximately 300 different tribal or language groups. Thus, although some generalities can be drawn with respect to alcohol use and its related consequences in this population, the variability among tribes and communities should not be disregarded. Alaska Natives are a diverse group themselves and have a somewhat different history and relationship to the U.S. Government than do other American Indians. Nonetheless, many similarities exist between them and the native people of the "lower 48" States with respect to alcohol use and abuse. Therefore, as a matter of convention, in this article the ethnic category "American Indian" also includes the indigenous people of Alaska. (For more information on alcohol use among Alaska Natives, see the sidebar by Segal, pp. 276–280.)

FRED BEAUVAIS, PH.D., is senior research scientist at the Tri-Ethnic Center for Prevention Research at Colorado State University, Fort Collins, Colorado.

HISTORICAL CONTEXT

Before European colonization, the native population of the territory that would eventually become the United States was relatively naïve to alcohol's effects. Some tribes produced weak beers or other fermented beverages, but these were generally used only for ceremonial purposes. The distillation of more potent and thus more abusable forms of alcohol was unknown. When various European colonists suddenly made large amounts of distilled spirits and wine available to American Indians, the tribes had little time to develop social, legal, or moral guidelines to regulate alcohol use. Early traders quickly established a demand for alcohol by introducing it as a medium of trade, often using it in exchange for highly sought-after animal skins and other resources. Traders also found that providing free alcohol during trading sessions gave them a distinct advantage in their negotiations.

Extreme intoxication was common among the colonists and provided a powerful model for the social use of alcohol among the inexperienced Indian populations. Numerous historical accounts describe extremely violent bouts of drinking among Indian tribes during trading sessions and on other occasions, but at least as many accounts exist of similar behavior among the colonizing traders, military personnel, and civilians (Smart and Ogborne 1996). Such modeling was not limited to the early colonial era but continued as the land was colonized from East to West; trappers, miners, soldiers, and lumbermen were well known for their heavy drinking sprees.

History may have therefore sown the seeds for the prevalence of alcohol abuse in North American indigenous populations. Early demand, with no regulation and strong encouragement, may have contributed to a "tradition" of heavy alcohol use passed down from generation to generation, which has led to the current high level of alcohol-related problems.

CONTEMPORARY PATTERNS OF ALCOHOL USE

The level of alcohol use among American Indian adults is difficult to estimate. Drinking practices vary greatly from tribe to tribe as a result of cultural, economic, and lifestyle differences. Levy and Kunitz (1971) attributed the variability

between tribes to differences in their tolerance of deviant behavior, which in turn lead to different levels of acceptable drinking. Other analysts have attributed the various rates to different socioeconomic conditions of reservations (Liban and Smart 1982; Silk-Walker et al. 1988; Austin et al. 1993). May (1996) reviewed the eight available studies on the prevalence of drinking among American Indian adults and found variation in the proportion of "current drinkers"[1] from a low of 30 percent to a high of 84 percent; the rate among the general non-Indian population was 67 percent (May 1996). Hisnanick (1992) estimated the prevalence of alcohol abuse and alcoholism among American Indians using the number of patients discharged with an alcohol-related diagnosis from Indian Health Service (IHS) hospitals over an 8-year period. He found that northern reservations generally had much higher rates of such diagnoses (the highest rate was 111 per 1,000 population) than the southern reservations (the lowest rate was 11 per 1,000). Overall, the prevalence of an alcohol-related diagnosis among men was double the rate among women, a finding that is common in most surveys of Indian adult populations. In a review of existing data, May and Moran (1995), for instance, cited the rate of alcohol-related deaths for Indian men as 26.5 percent of all deaths and the rate for women as 13.2 percent. The gender disparity in consumption has not been seen among adolescents, however. Beauvais (1992) reported lifetime and 30-day prevalence among Indian adolescents to be only slightly higher for males than for females.



Compared with the limited available data on drinking by Indian adults, ongoing school-based surveys have provided a relatively complete picture of drinking among Indian youth since 1975 (Beauvais 1996). In 1993, 71 percent of Indian youth from grades 7 to 12 reported having ever used alcohol, and 55 percent reported having ever been drunk. Approximately 34 percent of this age group reported having been drunk within the past month. About the same proportion of Indian and non-Indian youth in grades 7 to 12 had ever tried alcohol in their lifetime. When Indian youth drank, however, they appeared to drink in heavier amounts and experience more negative consequences from their drinking than did their non-Indian peers (Oetting and Beauvais 1989).

Unlike the rates of illicit drug use, which tend to fluctuate over time, alcohol use among Indian youth has remained stable since 1975. Although tribal differences in drinking exist for adults, Indian adolescents seem to drink at similar levels regardless of tribe. In addition, higher levels of alcohol use have been found among Indian youth who live on reservations (Beauvais 1992), youth who attend boarding schools (Dick et al. 1993), and school dropouts (Beauvais et al. 1996).

Among both Indian and non-Indian adolescents, drug and alcohol use are much more tightly coupled than they are among adults. Nearly all adolescent drug users also use alcohol, and more than one-half of adolescent alcohol users use drugs at some level. It is likely that adolescent drug use and adolescent alcohol use have many of the same causes and consequences. Data from school surveys generally indicate that drug use is higher among Indian youth compared with non-Indian youth for nearly all drugs and that marijuana use in particular is significantly higher among Indian youth. In 1993, for instance, nearly 50 percent of Indian students in grades 7 to 12 admitted to having ever used marijuana (Beauvais 1996), whereas the rate for non-Indian youth of the same age was just 12 percent (Substance Abuse and Mental Health Services Administration 1994).

Many researchers (Mail and McDonald 1980; May 1996) have reported a style of drinking frequently engaged in by both Indian youth and adults in which drinkers consume large amounts of alcohol in a short period of time and continue drinking until the supply is gone. This pattern—consuming five or more drinks in one session—is often called "binge drinking." Furthermore, notable sharing of alcohol takes place among people drinking together. This pattern has been attributed to the early modeling of European colonists previously mentioned as well as to the effects of prohibition, which encouraged rapid drinking to avoid the detection and confiscation of alcohol. This style of drinking is only one of a wide range of styles practiced within Indian communities; aside from the research conducted by May (1995), however, little has been done to characterize the various patterns.

Building on the work of Ferguson (1968), May (1995) proposed that at least two patterns of alcohol abuse exist within Indian groups. "Anxiety drinkers" are chronic, heavy drinkers who exhibit a wide variety of medical, social, and psychological problems. They have minimal involvement in their traditional Indian culture and show little competency in meeting the demands of the majority culture (e.g., maintaining employment). Early alcohol-related mortality is common among this group.

In contrast, "recreational drinkers" engage in binge drinking less frequently than anxiety drinkers do, but they consume extremely high quantities when they do drink. (Although May termed this style of drinking "recreational drinking," other researchers and treatment professionals have called it "problem," "binge," and "heavy episodic" drinking.) Although when not drinking, recreational drinkers can

[1]In general, current drinkers are those who have consumed alcohol within the past year, but different researchers use different definitions. In this article, drinking categories refer to the definitions used in the research cited.

function fairly well in other areas of their lives, they do experience many alcohol-related consequences, with accidents of all types being the most common. Proportionally, recreational drinkers are the largest group of Indian alcohol abusers (about two-thirds of all heavy drinkers according to May [1996]) and thus account for the largest number of alcohol-related problems in Indian communities.

Beauvais (1992) reported similar drinking patterns among Indian adolescents. According to his research, some Indian youth become heavily involved with alcohol and illicit drugs at an early age and continue that pattern into at least young adulthood. Approximately 20 percent of Indian youth in 7th to 12th grades fall into this category. Other youth exhibit an "experimental" or social style of use that varies with different environmental conditions and does not necessarily lead to a lifelong alcohol abuse pattern. Beauvais (1992) reports that another 20 percent of Indian youth are in this group.

Consequences of Alcohol Use and Abuse

Compared with the U.S. population in general, the American Indian population is especially at risk for alcohol-related consequences. According to IHS records on alcohol-related illness and death among tribes in the United States (IHS 1996), the age-adjusted alcohol-related death rate in 1992 was 5.6 times higher among the Indian population than among the U.S. population in general; this rate was 7.1 times higher in 1980. Nearly twice as many Indian men as Indian women die from alcohol-related causes between ages 45 and 64, the peak age range for such deaths. Chronic liver disease and cirrhosis are 3.9 times as prevalent in the Indian population as in the general population; alcohol-related fatal automobile accidents are 3 times as prevalent; alcohol-related suicide is 1.4 times as prevalent; and alcohol-related homicide is 2.4 times as prevalent.

The data clearly demonstrate that the health consequences of alcohol abuse have a much greater effect on the Indian population than on the non-Indian population. The ratio of drinkers to abstainers in Indian and non-Indian populations is not well documented, however. May (1995) suggested that a greater percentage of Indian adults may abstain from alcohol compared with non-Indian adults. Therefore, the higher levels of problems within the Indian population may indicate that those who do use alcohol drink at exceptionally high levels.

High rates of fetal alcohol syndrome (FAS) have been found among some Indian tribes. May (1991) found rates ranging from 1.6 to 10.3 births per 1,000 for a selected number of tribes. The rate among the general, non-Indian population is 2.2 births per 1,000. Because of the high FAS prevalence rates and because FAS is an entirely preventable cause of birth defects, several Federal and tribal agencies have given a high priority to FAS research and prevention efforts.

Comorbidity of Alcohol Problems and Mental Disorders

Alcohol and drug abuse problems often are attributed to underlying psychological disorders; consequently, those disorders have been cited as contributing to alcohol problems among American Indians (Mail and McDonald 1980; Novins et al. 1996). Theoretically, people with psychological problems use alcohol to relieve certain symptoms, such as depression, anxiety, or lack of self-esteem. In response to this theory, many alcohol prevention and treatment programs address those psychological problems. The literature for both Indian and non-Indian populations, however, clearly indicates that psychological or emotional problems and substance use are not necessarily related, particularly among adolescents (Oetting et al. 1998; Schroeder et al. 1993; Swaim et al. 1989; Beauvais 1992). The link between psychological problems and alcohol abuse may be stronger among adults than among adolescents.

Although not necessarily a cause or consequence of alcohol abuse or alcoholism, other mental disorders often co-occur with alcohol disorders. No studies have compared the prevalence of co-occurring psychiatric disorders between Indians and non-Indians, but clearly such disorders are common among Indian populations. Robin and colleagues (1998) found that among a large group of adults from a Southwestern tribe, binge drinkers were 5.5 times more likely to have had a psychiatric problem than nondrinkers. In a study of adolescents on a Northern Plains reservation, Beals and colleagues (1997) reported that more than one-half of the youth diagnosed with a psychiatric disorder also had a substance use disorder. Caution must be used in generalizing from those data, however, because they are derived from clinical populations and may not represent the majority of youth. As discussed earlier, different types of alcohol users exist, and mental disorders may only occur among heavy drinkers. Among adolescents in particular, considerable "experimental" drinking likely occurs in the absence of any psychiatric problem and probably is more social in nature (Oetting et al. 1998; Austin et al. 1993). Therefore, programs to reduce alcohol consumption that presume that all drinkers have an emotional problem probably will be ineffective with the largest group of alcohol users.

Causal Explanations for Alcohol Abuse and Alcoholism

The history of alcohol use among Indian tribes, as described earlier, sets the stage for the high rate of alcohol-related consequences currently reported for this population. A number of more contemporary factors have been proposed to explain the continuation of this pattern.

The following sections describe some of those factors, including genetics, social and cultural influences, and personal attitudes toward alcohol.

Genetic Risk Factors

Evidence for a genetic component in the susceptibility to alcoholism has been increasing over the past three decades. Kendler and colleagues (1997) estimated that among males, genetic factors account for 50 to 60 percent of the risk for alcoholism. Evidence of a genetic component to alcoholism raises the question of whether certain ethnic and cultural groups that have high rates of alcoholism, such as American Indians, may be predisposed to higher alcohol consumption. Research has identified differences among population groups in the enzyme systems that regulate alcohol metabolism; those differences are thought to account for some cultural differences in drinking patterns. For instance, among many Asian groups the absence of certain metabolic enzymes results in the "flushing response," an unpleasant reddening or flushing of the skin, sometimes accompanied by nausea, after drinking alcohol. The discomfort that accompanies the flushing response is credited with fostering lower levels of alcohol abuse in some Asian populations. If a genetic factor could be identified that explained the high rates of alcoholism among American Indians, prevention and treatment strategies could take that factor into account and perhaps thereby improve their effectiveness (e.g., through genetic counseling or the development of drug treatments to alter the genetic effects). So far, the evidence seems to indicate that although some proportion of alcoholism risk may be heritable, this trait varies more within population groups than between them. In other words, certain groups may not be more susceptible to alcoholism, but a proportion of persons within groups might be. Furthermore, the search for genetic susceptibility among groups of American Indians may be hampered by the increasing amount of intermarriage and childbearing both within Indian populations and between Indians and non-Indians, thus obscuring any genetic component that might be present (Snipp 1997).

Although identification of the genetic factors that contribute to alcoholism may aid in our understanding of the risk for alcoholism, identifying these factors may not help reduce alcoholism among populations where it is most prevalent. Other influences, such as social and cultural factors, are at least as potent, and possibly more potent, than genetics in the development of alcoholism. Addressing those environmental factors likely will have a higher long-term payoff.

Social and Cultural Influences

Socioeconomic Factors. The socioeconomic picture for many tribes is bleak. Unemployment rates are high, school completion rates are low, and basic support systems are underdeveloped. Those conditions place a great deal of stress on the family and other socialization structures within Indian communities. As a result, the basic developmental needs of Indian children often go unmet. To the extent that this type of social stress predisposes a population to alcohol abuse, American Indian communities are highly susceptible.

Boarding School Experience. Until recently, most Indian children were removed from their homes (sometimes forcibly, by social service agencies) and placed in boarding schools that were often hundreds of miles from their families. Some children would not see their families for months or even years. The conditions at the boarding schools were quite severe, and behavior was shaped primarily through punishment. Both physical and emotional abuses were common. In addition to their traumatic effects on children, these abusive practices spawned several generations of Indian people with limited parenting experience. Children raised in boarding schools often perpetuated the schools' punitive model later with their own children. Parents did not have the opportunity to raise their children in a way that was culturally congruent. In fact, the intent of the boarding schools was to eliminate Indian culture and replace it with white culture. That practice led to an accelerated weakening of the values, beliefs, and cultural forms that had previously guided behavior in Indian communities.

Loss of Culture. Many Indian people believe that the loss of their culture is the primary cause of many of their existing social problems, especially those associated with alcohol. Many of the community-based alcohol treatment programs in Indian communities across the country have a strong cultural or spiritual component that is intended to revitalize traditional beliefs and serve as the primary source of individual strength in maintaining sobriety. The research community, however, has been reluctant to accept the idea that culture and Indian spirituality may be important to the prevention and treatment of alcohol problems. At least two reasons exist for this attitude. First, non-Indian views of the psychology of behavior are primarily secular and, for the most part, relegate culture to a peripheral role. Second, methods to measure spirituality, cultural beliefs, and values have not been well developed, hindering scientific study in those areas. A number of recent studies have attempted to find a link between cultural identification and substance use among Indian adolescents, but so far no relationship has been found (Beauvais 1998). Although culture may not be a protective factor, at least for Indian adolescents, it also may not have been properly characterized and thus not accurately measured. The extremely strong belief, held by Indian elders and others, that culture is a critical protective factor suggests that more research is needed in this area.

Cultural Forms. Some researchers have suggested that current Indian drinking may be a product of the early ceremonial use of alcohol (Abbott 1996). Before colonization, however, few tribes had access to any alcohol—certainly not to distilled spirits. The extent of the current problem thus cannot be linked to longstanding cultural practices. Indian drinking has been associated with the search for transcendental experiences, and some authors (Kahn 1986; Mail and McDonald 1980) have drawn parallels with "vision quests" and other cultural rituals that are purported to put one in contact with supernatural forces. Colonial-era

writing by Indians recounting their perceptions of the subjective effects of alcohol when it was first introduced lends some credence to this view. However, a comparison between current drinking patterns and the ceremonial use of alcohol reveals many differences. Rituals that are intended to produce visionary experiences are highly controlled and leave little room for aberrant or disruptive behavior. The peyote ritual is a prime example. Within the Native American church, peyote is a sacrament intended to put one in communication with spiritual forces to instill harmony in one's life. The ceremony itself has a prescribed structure, and the leader, called a "roadman," makes certain that the rules and forms are precisely followed. Peyote is used to facilitate communication and is not ingested to produce hallucinations. The roadman will use a variety of sensory stimuli (e.g., cedar smoke and sprinkled water) to prevent participants from drifting off into a disconnected state of consciousness. Clearly, the powerful and ritualized experience of a peyote ceremony cannot be likened to out-of-control drunkenness. In fact, the peyote ritual is often used within Indian communities for the treatment of alcohol and drug abuse problems.

Attitudes and Expectancies

American Indians appear to vary somewhat in their perceptions of alcohol and its effects. Spicer (1997) reports that most Indians who drink are ambivalent about alcohol. On the one hand, they view drinking as a social mechanism that facilitates interactions with family and friends and increases bonding; on the other hand, alcohol abusers are acutely aware of the destruction it has wrought in their lives. A tendency also exists for Indian drinkers to believe that Indian people have a special susceptibility to the effects of alcohol, both from physical vulnerability and from "being Indian" (Mail and McDonald 1980). Some writers have speculated that alcohol abuse has become an identifying trait among American Indians and that sobriety often results in people being disenfranchised from their social milieu (Mail and McDonald 1980; Spicer 1997). Social factors thus strongly influence the use of alcohol in this population.

Cultural beliefs among many Indian tribes place responsibility for behavior outside the person and in the realm of spiritual forces, both good and evil. According to these beliefs, the resolution to a particular problem lies in the ceremonial realm, in which a person remains relatively passive while rituals are performed to resolve the imbalance of powers. This approach is distinctly different from the Western European notion that each person is ultimately responsible for his or her own behavior and that change comes only through personal initiative or with assistance, such as psychotherapy. One belief is not superior to the other; however, the Indian perspective (as with any perspective) could be distorted in an effort to justify and continue one's harmful behavior. One can easily say "it is out of my hands," continue drinking, and not seek the ceremonial assistance needed to achieve sobriety.

Prevention and Treatment

Understanding the factors that contribute to the high rate of alcohol-related problems in the Indian population is helpful in developing prevention and treatment strategies. Many tribes recognized the need for the prevention of alcohol abuse soon after alcohol problems first began to appear. The appeal of alcohol was not universal among tribes, and numerous efforts were made to maintain or regain sobriety. Many tribes attempted to restrict commerce in alcohol and were successful for short periods of time (Smart and Ogborne 1996). The Handsome Lake movement of the early 1800s, named for the Seneca religious leader who incorporated a vigorous antialcohol stance into traditional beliefs and ceremonies, was the most notable early attempt to prevent alcohol problems through the use of cultural practices (Jilek 1978).

In recent decades, prevention of alcohol abuse has been a high priority within American Indian communities. Community leaders, school personnel, and health providers have recognized the toll that alcohol is taking and have instituted a variety of prevention interventions. The IHS, the Bureau of Indian Affairs (BIA), numerous Federal research and service organizations, and tribes themselves have been involved with and have provided resources for prevention. Unfortunately, most of those efforts have not been rigorously evaluated. Although some interventions may help lead to lower rates of alcohol use, it is difficult to determine which approaches are the most effective.

The IHS has provided treatment for alcohol abuse and alcoholism since its inception in 1975. In addition to numerous tribally based programs, the agency currently funds 7 regional treatment facilities for women and 12 for adolescents. In the past decade, much of the central responsibility for running those programs has shifted from the Federal Government and the IHS to tribal control. Accompanying the trend toward tribal control is a movement toward the use of traditional cultural and spiritual beliefs and practices in treatment. In some cases non-Native approaches, such as detoxification, pharmacotherapy, behavioral therapy, inpatient treatment, and Alcoholics Anonymous, have been modified to incorporate Indian beliefs and traditions. Sweat lodge ceremonies, the peyote ceremony, smudging with smoke, and traditional dancing and singing (Jilek 1978, 1994; Manson et al. 1987) are increasingly incorporated into Indian treatment programs. Unfortunately, no randomized trials or other controlled studies have been conducted to test the efficacy of those efforts.

Alcohol-Related Policies

Prohibition has been the most prevalent policy in attempting to reduce alcohol consumption among Indian tribes, although it has been inconsistently applied. In colonial times, tribes as well as non-Indian authorities attempted to limit the sale or importation of alcohol within Indian territories. The bans were mostly ineffective, however, because alcohol was involved in lucrative trading and someone was always willing to distribute

it. Alcohol even became a political issue when the British and French governments vied for the "friendship" of various tribes by providing alcohol (Smart and Ogborne 1996). In 1832 the U.S. Congress passed legislation banning the sale of alcoholic beverages to Indian people. That legislation was repealed in 1953, and tribes were given the option of retaining prohibition or allowing the sale and consumption of alcohol on reservations. Today nearly two-thirds of all reservations are technically "dry." Little is known about the effects of the Federal legislation before 1953, although most observers would agree that it was not very effective. May (1992) and Bellamy (1985) examined the effects of the then-current prohibition laws by comparing "wet" and "dry" reservations with a number of factors, such as health indices and accident rates. For the most part, the researchers found few differences between wet and dry reservations. However, May raised the issue of whether prohibition actually created more problems, because people who went off the reservation to drink were more susceptible to death and injury from exposure and from driving under the influence.

Reflecting on the weak results of prohibition, May (1992) suggested that legislation alone is not the answer. He called for a community consensus to be developed regarding the use of alcohol as well as a comprehensive approach to involve multiple community agencies and groups. In lieu of such a consensus, it would be impossible for any one responsible community faction to "enforce" a common standard.

Policies regulating the sale and use of alcohol can serve as important tools in preventing alcohol problems and merit increased attention among tribes. However, although such policies may succeed to some extent in community settings such as reservations, they may be more difficult to implement in urban or rural settings in which American Indians are only a small portion of the total population. Currently, many different agencies implement alcohol policies and claim some responsibility for lowering the rates of alcohol use. As a result, policies are inconsistent, contributing to uncertainty in the Indian community, especially among adolescents, about normative use and sanctions against illegal use.

The potential for regulation through policy is substantial. May (1992) listed 107 policy options that could be considered by tribes to control levels of use within communities. The options were divided into the categories of controlling supply, shaping drinking practices, and reducing social and physical harm. All options are not feasible everywhere, but a core set could be implemented in most communities. A strong research initiative to evaluate the effects of policy implementation and changes also seems warranted. Certainly, policy alone is not the only route to prevention, because it does not address the powerful factors leading to alcohol abuse. Consistent policy, however, can serve as an important message of what the community as a whole considers both acceptable and unacceptable behavior.

Conclusion

American Indian and Alaska Native communities experience high rates of alcohol-related problems and have responded by implementing prevention and treatment programs, including both grassroots and externally sponsored programs. Perhaps the greatest impetus for change regarding alcohol use in Indian communities has been the revitalization of Indian culture, which began during the 1960s Civil Rights Movement. The Federal Government is gradually reducing its caretaker role, and tribes are assuming greater authority over their own economic, social, educational, and health affairs. Furthermore, awareness is growing that solutions to social and health problems must be generated at the community level and those that have been imposed from outside will most likely be ineffective (Beauvais and LaBoueff 1985; Oetting et al. 1995). Perhaps the most powerful and effective solutions will come through a recommitment to traditional Indian values and beliefs. Combined with a concerted and consistent message from the many social support systems in Indian communities, that approach will, one hopes, lead to a substantial reduction in alcohol-related problems.

Little research-based data exist about the factors that lead many, if not most, Indian people to remain sober or to regain their sobriety and lead fulfilling lives. A great number of Indian people can drink socially and not incur serious problems. If more information could be gained about those groups of people, that knowledge could be applied to efforts to prevent alcohol abuse and alcoholism in the Native American population. Research on alcohol problems among urban Indians also would be useful, because it would improve understanding of how contextual social variables affect the course of alcohol abuse. ■

References

ABBOTT, P.J. American Indian and Alaska Native aboriginal use of alcohol in the United States. *American Indian and Alaska Native Mental Health Research* 7(2):1–13, 1996.

AUSTIN, G.; OETTING, G.; AND BEAUVAIS, F. *Recent Research on Substance Abuse Among American Indian Youth: Prevention Research Update #11.* Portland, OR: Northwest Regional Laboratory, 1993.

BEALS, J.; PLASECKI, J.; NELSON, S.; JONES, M.; KEANE, E.; DAUPHANAIS, P.; RED SHIRT, R.; SACK, W.; AND MANSON, S. Psychiatric disorder among American Indian adolescents: Prevalence in Northern Plains youth. *Journal of the American Academy of Child and Adolescent Psychiatry* 36:1252–1259, 1997.

BEAUVAIS, F., ED. Indian adolescent drug and alcohol use: Recent patterns and consequences [Special Issue]. *American Indian and Alaska Native Mental Health Research* 5(1):1–78, 1992.

BEAUVAIS, F. Trends in drug use among American Indian students, 1975–1994 with an adjustment for dropouts. *American Journal of Public Health* 86:1594–1598, 1996.

BEAUVAIS, F. Cultural identification and substance abuse: An annotated bibliography. *Substance Use and Misuse* 33:1315–1336, 1998.

BEAUVAIS, F. Indian adolescence: Opportunity and challenge. In: Montmeyer, R., ed., *Advances in Adolescent Development: Volume 9. Adolescent Experiences: Cultural and Economic Diversity in Adolescent Development.* Newbury Park, CA: Sage, in press.

BEAUVAIS, F., AND LABOUEFF, S. Drug and alcohol abuse intervention in American Indian communities. *International Journal of the Addictions* 20:139–171, 1985.